

**SECTION 08 81 00 – GLAZING****PART 1: GENERAL****1.01 Scope of Standard**

- A. This standard provides general guidance concerning the specific preferences of Texas State University for transparent and translucent glass for general and special purpose applications.
- B. Texas State University recognizes that project conditions and requirements vary, thus precluding the absolute adherence to the items identified herein in all cases. However, unless there is adequate written justification, it is expected that these guidelines will govern the design and specifications for Texas State University projects.

**1.02 Quality Control**

- A. In no instance will glass with a reflective film coating be acceptable.
- B. Wire glass: Use of this type product is not preferred.

**1.03 General Requirements**

- A. Other: For exterior glazing, use heat absorbing glare reducing of bronze tone, low E insulated glass, is preferred. Reflective glass is not to be used. Refer also to the “Texas State University Campus Master Plan Design Guidelines”, for additional information.
- B. Manufacturers stamp is to be provided on all glass required by code to be heat tempered, heat strengthened or safety.
- C. Asbestos: In no instance will any product containing asbestos be acceptable for use.
- D. Lead: In no instance will any product containing lead be acceptable for use.

**PART 2: PRODUCTS (NOT USED)****PART 3: EXECUTION (NOT USED)**

END OF SECTION 08 81 00