

SECTION 09 21 13 – PLASTER ASSEMBLIES**PART 1: GENERAL****1.01 Scope of Standard**

- A. This standard provides general guidance concerning the specific preferences of Texas State University for plaster Assemblies.
- B. Texas State University recognizes that project conditions and requirements vary, thus precluding the absolute adherence to the items identified herein in all cases. However, unless there is adequate written justification, it is expected that these guidelines will govern the design and specification for Texas State University-San Marcos projects.

1.02 Design Guidelines

- A. Interior Plaster:
 - 1. Plaster interior ceiling systems is not to be used on the Texas State University and satellite Campuses.
 - 2. Interior Plaster Walls:
 - a. On interior plaster walls, provide expansion joints or control joints at corners, windows/door openings, or other penetration openings.
 - b. Outside corners are to be rounded with metal casing bead.
- B. Exterior Plaster Ceilings
 - 1. Exterior plaster ceilings shall be adequately braced for upward wind shear by the use of steel struts. Edges connections and penetrations shall be “bat and insect proofed”.
 - 2. Provide access doors in exterior plaster ceilings, under accessible equipment, dampers, etc., for servicing.
- C. Exterior Plaster Walls:
 - 1. The approved plaster color for Texas State University is:
 - Manufacturer: Lahabra
 - Color: X-81 Oatmill – Base 200
 - NOTE: Other manufacturers must custom match this color.

SECTION 09 21 13 – PLASTER ASSEMBLIES

2. On exterior plaster walls, provide expansion joints and or control joints, both horizontally and vertically, as recommended by ASTM C1063- Installation of Lath and Furring for Portland Cement Based Plaster.
3. Exterior Plaster Walls:
 - a. On exterior plaster walls, provide expansion joints or control joints at corners, windows/door openings, or other penetration openings.
 - b. Outside corners are to be rounded with metal casing bead.

PART 2: PRODUCTS (NOT USED)

PART 3: EXECUTION (NOT USED)

END OF SECTION 09 21 13